Purafil [®] CP Blend Select Media Safety Data Sheet according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)				
	the substance or mixture and of the supplier			
1.1. Product identifier				
Trade name	: Purafil [®] CP Blend Select Media			
Product code	: PUR-006			
1.2. Relevant identified uses o	f the substance or mixture and uses advised against			
Recommended use	: Dry granular medium for use in gas-phase air filtration			
Restrictions of use	: Only use for the intended purpose.			
	The product is not intended to remove dangerous particThe product is not intended to purify water.	culates or biological agents.		
1.3. Details of the supplier of t	he safety data sheet			
Manufacturer	: Purafil, Inc.			
	2654 Weaver Way			
	Doraville, Georgia 30340 USA Tel: +1-770-662-8545, +1-800-222-6367 (toll-free withir	the LISA & Canada)		
	Fax: +1-770-263-6922			
	www.purafil.com			
1.4. Emergency telephone num	nber			
CHEMTREC	: For Hazardous Materials [or Dangerous Goods] Inciden	ıt		
	Spill, Leak, Fire, Exposure, or Accident			
	Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 CCN723586			
	Outside USA and Canada: +1-703-741-5970 (collect ca	Ills accepted)		
		• •		
Purafil, Inc.	: +1-770-662-8545, +1-800-222-6367 (toll-free within the	USA and Canada)		
SECTION 2: Hazards identifi	cation			
2.1. Classification of the subst	tance or mixture			
GHS-US classification				
Not Classified				
2.2. Label elements				
GHS-US labeling				
No labeling applicable.	:			
2.3. Other hazards				
May cause respiratory irritation.				
Special danger of slipping by leaking/s The components in this mixture do not	spilling product. t meet the criteria for classification as PBT or vPvB.			
2.4. Unknown acute toxicity (G	SHS-US)			
No data available.				
CECTION 2. Composition/inf				
SECTION 3: Composition/inf	formation on ingredients			

Name	Product identifier	%	GHS-US classification
Carbon (C)	(CAS No) 7440-44-0	30 - 50	Not classified
Aluminum oxide (Al ₂ O ₃)	(CAS No) 1344-28-1	25 – 35	Not classified
Sodium bicarbonate (NaHCO ₃)	(CAS No) 144-55-8	5 – 15	Not classified
Potassium permanganate (KMnO ₄)	(CAS No) 7722-64-7	4 - 6	Ox. Sol. 2, H272 Acute Tox. 4 (Oral) H302

SECTION 4: First aid measures		
4.1. Description of first aid measures		
General information	: First aider: Pay attention to self-protection!	
After inhalation	: Provide fresh air. In case of respiratory tract in	itation, consult a physician.
After contact with skin	: After contact with skin, wash immediately with If the product contacts the skin with water, it m skin. This stain will be washed away/rubbed of irritation or rash occurs: Get medical advice/at	ay leave a stain of insoluble products on the fover a period of time (hours to days). If skin
ter contact with eyes : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if y and easy to do. Continue rinsing. Consult an ophthalmologist.		· · ·
Revision No: 1.01	SDS ID: PUR-006	Revision Date June 1, 2015
Page 1 of 7	US - EN (English)	Replaces Version 1.00 from 05/27/2015

Safety Data Sheet according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)

-			
After ingestion :		If swallowed, rinse mouth with water (only if the person is conscious). Call a physician immediately.	
4.2.		both acute and delayed Following inhalation: Coughing, asthmatic complaints. aggravate asthma and dermatitis. After skin contact: Irritation and reddening. Skin rashes Following eye contact: Irritation and reddening. Causes After ingestion: May cause irritation of the gastrointesti and diarrhea.	s. s serious eye irritation.
4.3.	Indication of any immediate medical at	tention and special treatment needed	
		Treat symptomatically.	
OFOTI			
	ON 5: Firefighting measures		
5.1. Suitable	Extinguishing media :	Coordinate firefighting measures to the fire surrounding	gs.
Unsuitab	le extinguishing media :	None known.	
5.0			
5.2.	Special hazards arising from the subst	The material is not combustible. When involved in a fir	e the sodium permanaganate component
		may release corrosive fumes. Contains an oxidizing substance (potassium permanga no oxidizing properties and it should be classified as "r following UN Handbook. A test according to UN Handb confirms this statement.	anate). The product is considered to have not oxidizing" and "Not Division 5.1"
5.3.	Advice for firefighters		
	:	Wear a NIOSH approved self-contained breathing app	aratus and chemical protective clothing.
5.4.	Additional information		
3.4.		Suppress gases/vapors/mists with water spray jet. Contaminated firefighting water must be collected sepa water or drains.	arately. Do not allow to enter into surface
SECTI	ON 6: Accidental release measu	res	
6.1.	Personal precautions, protective equip	ment and emergency procedures	
		Provide adequate ventilation. Avoid generation of dust skin, eyes and clothes. Wear personal protection equip	
6.2.	Environmental precautions		
	:	Do not allow to enter into surface water or drains. If co permanganate may leach out and the water may turn p will clarify the water, but will give off sulfur dioxide vapor ventilated areas.	bink to purple in color. Sodium bisulfite
6.3.	Methods and material for containment	and cleaning up	
	:	Pick up dry. Take up mechanically. Avoid generation o prescribed in the section on waste disposal.	f dust. Treat the recovered material as
6.4.	Reference to other sections		
	:	Protection measures in accordance with section 8. Disposal in accordance with section 13.	
SECTI	ON 7: Handling and storage		
7.1.	Precautions for safe handling		
		Avoid generation of dust. Use air conveying (vacuum) used for transfer (from vessel, slingbags, boxes, or paid dusting to a minimum, use mechanical ventilation or of	ils), avoid crushing the product to keep
7.2.	Conditions for safe storage, including		
Requiren	nents for storage rooms and vessels	Store only in original container. Keep container tightly Protect from water and exposure to contaminated air (contaminated), otherwise the product may be rendered	gaseous, particulate, and aerosol
Further in	nformation on storage conditions :	Recommended packaging materials:	
Revision N		SDS ID: PUR-006	Revision Date June 1, 2015
Page 2 of	7	US - EN (English)	Replaces Version 1.00 from 05/27/2015

purafil

Safety Data Sheet

according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)

Purafil[®] CP Blend Select Media

- purafil
- Corrugated double wall boxes with plastic liners.
- Injection molded polystyrene pails and lids including a neoprene seal.

7.3. Specific end use(s)

: Dry granular medium for use in gas-phase air filtration.

SECTION 8: Exposure con	trols/persona	al protection		
3.1. Control parameters				
Aluminum oxide (1344-28-1)				
OSHA O	SHA PEL (TWA)	(mg/m³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)	
8.2. Exposure controls				
ppropriate engineering controls : If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.				
Protective and hygiene measures		Remove contaminated, saturat When using, do not eat or drink	ed clothing immediately. After work, wash hands and face.	
Eye and face protection	:	Tightly fitting safety glasses wit	h side shields.	
Hand protection	nd protection : Protect skin by using skin protective cream. : Wear suitable gloves. Suitable material: NR (natural rubber (India rubber, caoutchouc), natural latex). Thickness of glove material: >= 0.1 mm Penetration time (maximum wearing period): >480 Min. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.			
Skin protection	:	: Full cover clothing covering arms and legs.		
Respiratory protection		 In exceptional situations (e.g., accidental release of substances, occupational exposure limit is exceeded) the wearing of respiratory protection is required. Observe the wear time limits. Dust mask: NIOSH N95; identification color: white 		
SECTION 9: Physical and o	chemical pro	perties		
9.1. Information on basic ph	ysical and chem	nical properties		
Physical state (appearance)			truded pellets or granules, $\frac{1}{16}$ - $\frac{1}{4}$ " (1.6 – 6.4 mm) in diameter	
Color		Pink to purple (violet) and black	(
Odor	:	No specific odor		
Odor threshold	:	No data available		
рН	:	6.3		
Changes in the physical state				
Melting point/freezing point	:	No data available		
Initial boiling point and boiling rar	ige :	No data available		
Flash point	:	No data available		
Evaporation rate		· No data available		
lammability				
Solid	:	No data available		
Upper/lower flammability		No data available		
Explosive properties				

Vapor pressure

Solid

Lower explosion limit

Upper explosion limit

Ignition temperature Auto-ignition temperature

Oxidizing properties

Decomposition temperature

: The product is considered to have no oxidizing properties and it should be classified as "not oxidizing" and "Not Division 5.1" following UN Handbook. A test according to UN Handbook 34.4.1 and GHS was performed and confirms this statement.

: No data available

: No data available

No data available

No data available

No data available

: No data available

:

:

Safety Data Sheet

according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)



Vapor density	: No data available
Relative density	: ca. 40 lb/ft ³ , 0.6400 g/cc, 640 kg/m ³
Water Solubility	: Partially soluble
Solubility in other solvents	: No data available
Soluble in	: Concentrated acids, alkalis
Partition coefficient	
n-octanol/water	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available

9.2. Other information

: No data available.

SECT	ON 10: Stability and reactivity	
10.1.	Reactivity	
		: No dangerous reactivity under normal conditions.
10.2.	Chemical stability	
		: The product is stable under regular conditions.
10.3.	Possibility of hazardous reactions	
		: May occur in contact with: acids, strong oxidizing agents.
10.4.	Conditions to avoid	
		: Liquid water, moisture. Heat sources, open flames and other ignition sources.
10.5.	Incompatible materials	
		: Acids, strong oxidizing agents.
10.6.	Hazardous decomposition products	
		: Sodium permanganate may liberate corrosive fumes if involved in a fire. Carbon monoxide and carbon dioxide may be generated during combustion of this material.

SECTION 11: Toxicological information 11.1. Information on toxicological effects Aluminum oxide (1344-28-1) LD₅₀ oral rat > 5,000 mg/kg

LD ₅₀ oral rat	> 5,000 mg/kg	
Carbon (7440-44-0)		
LD ₅₀ oral rat	> 10,000 mg/kg	
Sodium bicarbonate (144-55-8)		
LD ₅₀ oral rat	4,220 mg/kg	
ATE US (oral)	4,220.000 mg/kg bodyweight	
Potassium permanganate (7722-64-7)		
LD ₅₀ oral rat	750 mg/kg	
ATE US (oral)	500.000 mg/kg bodyweight	

SECTION 12: Ecological information

8,250 – 9,000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
2350 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Potassium permanganate (7722-64-7)		
LC ₅₀ fish 1	2.97 - 3.11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio)	
LC ₅₀ fish 2	3.16 - 3.77 mg/l (Exposure time: 96 h - Species: Cyprinus carpio)	
LC ₅₀ fish 2	3.16 - 3.77 mg/l (Exposure time: 96 h - Species: Cyprinus carpio)	

12.2. Persistence and degradability

: No data available.

Safety Data Sheet

according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)

 	_	£	2
Ur		Ľ	

12.3.	Bioaccumulative potential	
	:	No data available.
12.4.	Mobility in soil	
	:	No data available.
12.5.	Results of PBT and vPvB assessment	
	:	The components in this mixture do not meet the criteria for classification as PBT or vPvB.
12.6.	Other adverse effects	
	:	No data available.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Advice on disposal	: Waste disposal should be in accordance with existing federal, state, and local environmental control regulations. Spent media that has removed toxic chemicals should be examined for specific hazards. Spilled product may be recovered for use if it has not come in contact with liquid, changed color, or been exposed to significant amounts of gaseous contaminants.	
Disposal of residues/unused products	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant. Avoid release to the environment.	
Disposal of packaging	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant. Avoid release to the environment.	

SECTION 14: Transport information	
14.1. Land transport (DOT)	
UN number UN proper shipping name	: None on finished product. : Not regulated.
Transport hazard classes	: None on finished product.
Packing group	: None on finished product.
Marine pollutant	: No
14.2. Water transport (IMDG / IMO)	
UN number	: None on finished product.
UN proper shipping name Transport hazard classes	: Not regulated. : None on finished product.
Packing group	: None on finished product.
Marine pollutant	: No
14.3. Air transport (IATA / ICAO)	
UN number	: None on finished product.
UN proper shipping name	: Not regulated.
Transport hazard classes Packing group	None on finished product. None on finished product.
Marine pollutant	: No
14.4. Environmental hazards	
Environmentally hazardous	: No
14.5. Special precautions for user	

: No special precautions known.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Aluminum oxide (1344-28-1)			
Listed on United States SARA Section 313			
SARA Section 313 - Emission Reporting	1.0 % (fibrous forms)		
Potassium permanganate (7722-64-7)			
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb		

Safety Data Sheet according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)

purafil

15.2. International regulations

15.2. International regulations		
CANADA		
Aluminum oxide (1344-28-1)		
Listed on the Canadian DSL (Domestic Substances List)		
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Carbon (7440-44-0)		
Listed on the Canadian DSL (Domestic Substances List)		
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Sodium bicarbonate (144-55-8)		
Listed on the Canadian DSL (Domestic Substances List)		
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Potassium permanganate (7722-64-7)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class C - Oxidizing Material Class E - Corrosive Material	
EU-Regulations		
Aluminum oxide (1344-28-1)		
Listed on the EEC inventory EINECS (European Inventory	/ of Existing Commercial Chemical Substances)	
Carbon (7440-44-0)		
Listed on the EEC inventory EINECS (European Inventory	/ of Existing Commercial Chemical Substances)	
Sodium bicarbonate (144-55-8)		
Listed on the EEC inventory EINECS (European Inventory	/ of Existing Commercial Chemical Substances)	
Potassium permanganate (7722-64-7)		
Listed on the EEC inventory EINECS (European Inventory	/ of Existing Commercial Chemical Substances)	
15.2.2. National regulations		
Aluminum oxide (1344-28-1)		
Listed on the AICS (Australian Inventory of Chemical Substituted on IECSC (Inventory of Existing Chemical Substance Listed on the Japanese ENCS (Existing & New Chemical Substance Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Listed on the Canadian IDL (Ingredient Disclosure List)	ces Produced or Imported in China) Substances) inventory	
Carbon (7440-44-0)		
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)		
Sodium bicarbonate (144-55-8)		
Listed on the AICS (Australian Inventory of Chemical Substant Listed on IECSC (Inventory of Existing Chemical Substant Listed on the Japanese ENCS (Existing & New Chemical S Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals)	ces Produced or Imported in China) Substances) inventory	

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Safety Data Sheet

according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)

Potassium permanganate (7722-64-7)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIOC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm.

SECTION 16: Other information

Abbreviations and acronyms

ACGIH: American Conference Of Governmental Industrial Hygienists

ATE: acute toxicity estimate

CAS: Chemical Abstracts Service

CLP: Classification, Labeling, Packaging

DOT: United States Department of Transportation

DNEL: Derived No Effect Level

 \textbf{EC}_{50} : median effective concentration for immobilization

 ErC_{50} : effective concentration of a substance that causes 50% reduction in growth rate

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

IMO: International Maritime Organization

LC₅₀: Lethal concentration, 50% of test population

OECD: Organization for Economic Co-operation and Development

 $\textbf{LD}_{50}\text{:}$ Lethal dose, 50% of test population

PNEC: Predicted No Effect Concentration

STOT: Specific Target Organ Toxicity

TLV: Threshold Limiting Value

TWA-TLV: Threshold Limit Value for the Time Weighted Average 8 hour day (ACGIH Standard)

Full text of H-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Ox. Sol. 2	Oxidizing Solids, Category 2
H272	May intensify fire; oxidizer
H302	Harmful if swallowed

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

pura